

# CalMAX

Micro Greens Grade (SGN 75)



## GUARANTEED ANALYSIS

Calcium (Ca).....	36.00%
Calcium Carbonate (CaCO <sub>3</sub> ).....	95.00%
Magnesium Carbonate (MgCO <sub>3</sub> ).....	0.90%
Calcium Carbonate Equivalent (CCE).....	91.00%
Effective Neutralizing Value (ENV).....	88.27%
Maximum Moisture Content.....	1.00%

Derived From: Calcitic Limestone.

FL: This product requires 1875 lbs. to be equal to one ton of standard liming material.

FL: Neutralizing value 96% calcium carbonate equivalence.

NC: 2198 pounds of this material equals one ton of standard liming material.

MN: 1765.76 lbs. ENP per ton

MS: RNV = 91%

TN: RNV = 92.18%

OH: ENP = 1766 lbs per ton

WI Index Zone: 80-89

OK: ECCE = 88.73

WI Neutralizing Index: 89.18%

Fineness Before Prilling

8 Mesh Sieve ..... 100% Passing

60 Mesh Sieve ..... 95% Passing

10 Mesh Sieve ..... 100% Passing

100 Mesh Sieve..... 95% Passing

20 Mesh Sieve ..... 100% Passing

200 Mesh Sieve..... 90% Passing

40 Mesh Sieve ..... 100% Passing

325 Mesh Sieve..... 50% Passing

50 Mesh Sieve ..... 100% Passing

Maximum moisture content 1.0%

Fine Sized

Meets WV fineness classification for pulverized

## ALSO CONTAINS NON PLANT FOOD INGREDIENTS

Soil Amending Active Ingredients

2.00% Humic Acid from Highly Oxidized Lignite Coal

8.00% Lignin Sulfonate (water soluble binder)

Other Ingredients

90% Calcitic Limestone

Purpose: May aid in plant uptake of micronutrients.

Lime Score: 90

Bulk Density- 70 lbs / cubic ft

F352

## PRECAUTIONS

Wash thoroughly after handling. Minimize dust generation. Avoid getting in eyes or on skin. Use safety glasses with side shields (or goggles) and water repellent, chemical resistant gloves when handling this product. Do not contaminate water during application or when cleaning equipment. **IN CASE OF SPILL OR MEDICAL EMERGENCY, CONTACT CHEMTREC 1-800-424-9300.**

## KEEP OUT OF REACH OF CHILDREN

## CAUTION

Read entire label for additional precautionary statements and use directions.

FOR PROFESSIONAL USE ONLY

## FIRST AID

If on Skin: Wash thoroughly with soap and water. Launder clothing before reuse.

If in Eyes: Flush with water for 15 minutes. Call a doctor for treatment if irritation persists.

If Inhaled: Remove affected person from source of exposure. Call 911 if breathing is difficult.

If Ingested: Do not induce vomiting. Get medical attention. Have the product label with you when calling a doctor or going for treatment.

Harrell's CalMAX is an ideal soil nutrient enhancement for turf and horticultural application. CalMAX delivers Calcium to the plant and soil and raises soil pH. Application rate will depend on soil tests.

## DIRECTIONS FOR USE

Store in a cool, dry place, do not contaminate water by storage or disposal.

Apply product in accordance with best management practices established by your State University or Cooperative Extension Service. Observe any State or Local fertilizer regulations pertaining to fertilizer content, application rates, or timing of application specific to your locale.

## RECOMMENDED RATES

TO RAISE LOW pH / ACIDIC SOIL and increase Calcium levels in the soil

Apply 12.5 lbs. per 1,000 sq.ft. or 520 lbs. per acre, as necessary.

50lb bag covers 4,000 sq.ft.

TO MAINTAIN SOIL pH

Apply 6 lbs. per 1,000 sq.ft. or 260 lbs. per acre, as necessary. Two applications per year are recommended.

50lb bag covers 8,000 sq.ft.

TO MAINTAIN CALCIUM LEVELS in the soil (turf, trees, shrubs, ornamental beds, vegetable gardens) Apply 5 lbs. per 1,000 sq.ft, as necessary. Two applications in spring and fall are recommended.

50lb bag covers 10,000 sq.ft.

## STORAGE AND CONTAINER DISPOSAL

Store this product in a dry place, in original container only. Offer packaging for recycling or dispose of in accordance with federal, state and local authorities.

## CONDITIONS OF SALE

Seller warrants that products will be labeled as required under state and federal laws and that they conform to the label description. Any non-conformance must be reported in writing to Seller within thirty (30) days after purchase as a prerequisite to maintaining any claim against Seller. Buyer agrees to inspect all products purchased immediately upon delivery. The seller's liability under this warranty is in lieu of all other warranties, expressed or implied, including warranties of merchantability and fitness for a particular purpose. There are no warranties which extend beyond this statement.

Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to turf/garden areas and sweep any product that lands on hard surfaces back onto the treated area.

Information on the components of this product may be obtained by writing Harrell's, LLC at the address below.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.html>.

## NET WT

50 LBS (22.68 KG)

1000 LBS (453.59 KG)

2000 LBS (907.18 KG)